

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6165	((73/1.36,1.73,1.74,863.31,863.32,864,864.01,864.02,864.11,864.13,864.18) or (422/99,100)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/08/11 15:02
L2	4844	B01L003/02.IPC.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/11 15:03
L3	1172	1 AND 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/11 15:03
L4	34	3 AND ((force load) with (sensor sensing sensed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/11 15:04
S1	5745	((73/1.36,1.73,1.74,863.31,863.32,864,864.01,864.02,864.11,864.13,864.18) or (422/99,100)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/08/11 15:01
S2	688	S1 and ((force pressure) with (measur\$4 detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 08:25
S3	240	S2 and ((force pressure) with (sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 08:26
S4	54	S3 and pipette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 08:26
S5	0	("2004/0149052").URPN.	USPAT	OR	ON	2005/08/30 08:41
S6	106	(rogers-da\$).xa.	USPAT	OR	ON	2005/08/30 08:41
S7	1543	S1 and pipette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 08:45
S8	142	pipette and ((finger piston plunger knob) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 08:47
S9	0	("2002/0095998").URPN.	USPAT	OR	ON	2005/08/30 08:56
S10	27	("20020020233" "3558014" "3732735" "3754687" "3853012" "3933048" "3954014" "3991617" "4151750" "4164870" "4257267" "4369665" "4790176" "4821586" "4967604" "4988481" "5104625" "5389341" "5403553" "5505097" "5611784" "5970806" "6090348" "6197259" "6324925" "RE32210").PN. OR ("6601433").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/30 09:05

EAST Search History

S11	2	("20040099067").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/30 12:02
S12	5745	((73/1.36,1.73,1.74,863.31,863.32,864,864.01,864.02,864.11,864.13,864.18) or (422/99,100)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/30 12:19
S13	242	S12 and (pipette with syringe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 12:20
S14	178	S12 and (pipette near3 syringe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 12:20
S15	113	S12 and (pipette near syringe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 12:20
S16	5745	((73/1.36,1.73,1.74,863.31,863.32,864,864.01,864.02,864.11,864.13,864.18) or (422/99,100)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/30 13:47
S17	61	S16 and telescoping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 13:47
S18	288	("push button" pushbutton) with pressure with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/05 18:38
S19	29	(pipette).ti. and (pressure with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/05 19:06
S20	2	("4399712").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/05 18:54
S21	119	(pipette).ti. and ("push button" pushbutton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/05 19:07
S22	4	(pushbutton "push button" "push-button") with piezoresist\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 07:02
S23	288	(pushbutton "push button" "push-button") with pressure with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 08:17

EAST Search History

S24	15	("4399712" "4519258" "5389341" "5505097" "6175369" "6299841" "6715369").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 07:26
S25	21	("3335724" "3667651" "3812843" "3985028" "4101283" "4191187" "4346742" "4399712").PN. OR ("4519258").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/06 07:27
S26	478	"force sensing resistor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 10:00
S27	111	S26 and (motor with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 09:38
S28	2	"force sensing resistor" and (pipette pipet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 09:46
S29	1	"force sensing resistor" with ("push button" pushbutton "push-button")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 09:47
S30	12	("force sensing resistor" FSR) with ("push button" pushbutton "push-button")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 09:47
S31	4	"force sensing resistor" with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 10:02
S32	27	("force sensing resistor" FSR) with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/06 10:56
S33	2	("5620661").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/06 10:56